


CENATA™

by Yuming Tools



Thailand Factory



YUMING INTERNATIONAL LTD. is a professional manufacturer and supplier, we specialized in manufacturing high quality sockets, socket sets and accessories since 1996, popular drive size from 3/8" to 1-1/2".

Our products are sold in more than 30 countries, with the U.S. and Europe being our key markets. All production process are made in our own plant from forging, machining, heat treatment, surface treatment and packing. Superior quality with competitive price is our mission.

We start from China factory, in order to meet customer high demand, we invest our Thailand factory with state-of-the-art facility, it will increase our production capacity and serve more customer with OEM and ODM order.

Yuming enjoy a good reputation among our customers for the following advantages: superior quality products with competitive price; On-time delivery; perfect after-sales service; latest technology and science supported to develop new items and OEM for our customer.

For more information, please contact us at yumingtools@yumingtools.com

China Factory




YUMING INTERNATIONAL LTD.

Add: 4/F., Noble Center No.1006 3rd. Fuzhong Rd. Futian District, Shenzhen China 518026

Tel: 0086-0755-88262922 Fax: 0086-0755-88262933

E-mail: yumingtools@yumingtools.com <http://www.yumingtools.com>



PRODUCTION LINE



Hot forge



CNC machinery



Semi-Automatic heat treatment oven



Automatic phosphating line



Laser the logo and size on the socket



Warehouse

TESTING FACILITY



Carbon flow analyzer



Digital spherometer



Metell microscope



Semi-automatic torque tester


- ◆ Impact grade chrome Molybdenum and Vanadium steel are available
- ◆ High visible laser etching for easy size identification.

YUMING INTERNATIONAL LTD.

Add: 4/F., Noble Center No.1006 3rd. Fuzhong Rd. Futian District, Shenzhen China 518026

Tel: 0086-0755-88262922 Fax: 0086-0755-88262933

E-mail: yumingtools@yumingtools.com <http://www.yumingtools.com>




YUMING TOOLS

◉ IMPACT SOCKET - SETS

PHOTO	ITEM NO	ITEM DESCRIPTION
	YM-8107	8 Pc 1/2" Dr. SAE Impact Hex Socket Set Includes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4"
	YM-8108	3 Pc 1/2 in. Drive Impact Wobble Socket Extension Set Each socket extension provides up to 15 degrees of deflection for easy access to hard-to-reach fasteners and locks straight for normal use Includes: 3", 5" and 7" Long
	YM-8109	8 Pc 3/8 in. Drive SAE Impact Deep Wall Socket Set Includes: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", and 3/4"
	YM-8110	4 Pc 3/8 in. Drive Impact Extension Set Includes: 1-3/4", 2-1/2", 5-1/2", 8-1/4"
	YM-8111	4Pc 1/2 in. Drive Impact Socket Extension Set Includes: 1-3/4", 2-1/2", 4-1/4", 9-1/4"

YUMING INTERNATIONAL LTD.




YUMING TOOLS

IMPACT SOCKET - SETS

PHOTO	ITEM NO	ITEM DESCRIPTION
	YM-8115	<p>3/4"Dr.7pc Impact socket set</p> <hr/> <p>Includes: Square 27 mm, 30 mm, 33 mm, 35 mm, 41 mm, Double Square 17 mm 21 mm</p>
	YM-8116	<p>1"Dr.5pc Budd wheel Impact socket set</p> <hr/> <p>Includes: 1-1/2" x 13/16", 35mm x 17mm, 38mm x 20mm, 41mm x 21mm, 33mm</p>
	YM-8117	<p>1/2"Dr.4pc Flip socket set</p> <hr/> <p>Includes: 3/4" x 13/16", 7/8" x 15/16", 19mm x 21mm, 3" Extension</p>
	YM-8118	<p>3 Pc Impact Socket Adapter Set</p> <hr/> <p>Includes: 1/2"FX3/8"M, 1/2"FX3/4"M, 3/4"FX1/2"M</p>

YUMING INTERNATIONAL LTD.




YUMING TOOLS

○ IMPACT SOCKET - SETS

PHOTO	ITEM NO	ITEM DESCRIPTION
	YM-8119	7 Pc Impact Socket Adapter Set Includes: 1/4"FX3/8"M,3/8"FX1/4"M, 3/8"FX1/2"M,1/2"FX3/8"M, 1/2"FX3/4"M,3/4"FX1"M 1"FX3/4"M
	YM-8120	8 Piece 3/8 in. Drive Metric Impact Socket Set Includes: 10mm, 11mm, 12mm, 13mm, 14mm, 16mm, 17mm, 19mm
	YM-8121	8 Pc 1/2 in. Drive Metric Impact Hex Socket Set Includes: 6mm, 7mm, 8mm, 10mm, 12mm, 14mm, 17mm, 19mm
	YM-8122	7 Pc 3/8 in. Drive Metric Impact Swivel Socket Set Includes: 10mm, 11mm, 12mm, 13mm, 14mm, 16mm, 17mm
	YM-8123	7 Pc 1/2 in. Drive Metric Impact Swivel Socket Set Includes: 13mm, 14mm, 15mm, 17mm, 18mm, 19mm, 21mm

YUMING INTERNATIONAL LTD.




YUMING TOOLS

IMPACT SOCKET - SETS

PHOTO	ITEM NO	ITEM DESCRIPTION
	YM-8124	3/8"Dr.SAE&Metric impact socket set 28pcs 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm, 21 mm, 22 mm 1pc 3/8"Dr.3" extension 1pc 1/2"FX3/8"M adaptor
	YM-8125	3/8"Dr.Shallow&Deep SAE impact socket set 25pcs Shallow: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" & 1" Deep: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" & 1" 1pc 3/8" universal adaptor
	YM-8127	1"Dr.SAE Deep impact socket set 8pcs Includes: 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-1/2"
	YM-8128	1"Dr.SAE standard impact socket set 9pcs set Includes: 1", 1-1/8", 1-1/4", 1-3/8", 1-1/2", 1-5/8", 1-3/4", 1-7/8", 2"

YUMING INTERNATIONAL LTD.



3/8" DR.IMPACT SOCKET SET

ITEM#	DESC.	Includes								
1-9318	8PC SAE STANDARD	5/16"	3/8"	7/16"	1/2"	9/16"	5/8"	11/16"	3/4"	
1-9328	8pc Metric STANDARD	8mm	10mm	11mm	13mm	14mm	16mm	17mm	19mm	
1-9348	8pc SAE DEEP WALL	5/16"	3/8"	7/16"	1/2"	9/16"	5/8"	11/16"	3/4"	



1-9318



1-9328



1-9348

1/2" DR.IMPACT SOCKET SET

ITEM#	DESC.	Includes										
1-9411	10pc SAE STANDARD	7/16"	1/2"	9/16"	5/8"	11/16"	3/4"	13/16"	7/8"	15/16"	1"	
1-9414	13pc SAE STANDARD	7/16"	1/2"	9/16"	5/8"	11/16"	3/4"	13/16"	7/8"	15/16"	1"	
		1-1/16"	1-1/8"	1-1/4"								
1-9421	10pc Metric STANDARD	10mm	11mm	12mm	13mm	14mm	15mm	16mm	17mm	18mm	19mm	
1-9442	10pc SAE DEEP WALL	7/16"	1/2"	9/16"	5/8"	11/16"	3/4"	13/16"	7/8"	15/16"	1"	
1-9452	10pc Metric DEEP WALL	10mm	11mm	12mm	13mm	14mm	15mm	16mm	17mm	18mm	19mm	

YUMING INTERNATIONAL LTD.



ACCESSORIES

ADAPTOR

3/8" Dr.	1/2" Dr.	3/4" Dr.
3/8"F × 1/2"M	1/2"F × 3/8"M	3/4"F × 1/2"M
	1/2"F × 3/4"M	3/4"F × 1"M



UNIVERSAL JOINT

3/8"Dr.
1/2"Dr.



EXTENSION BAR

1/2"Dr.
3" and 5"
3/4"Dr.
4", 125mm,200mm,400mm
1"Dr.
125mm,150mm,200mm,400mm



FLIP SOCKET

19x21mm
13/16"x3/4"
17x19mm
7/8"x21mm



YUMING INTERNATIONAL LTD.

Add: 4/F., Noble Center No.1006 3rd. Fuzhong Rd. Futian District, Shenzhen China 518026

Tel: 0086-0755-88262922 Fax: 0086-0755-88262933

E-mail: yumingtools@yumingtools.com <http://www.yumingtools.com>

YUMING TOOLS

IMPACT SOCKET - SETS

PHOTO	ITEM NO	ITEM DESCRIPTION	PACKING
	YM-8087	13 Piece 1/2" SAE Impact Socket Set Includes 13 sockets: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4", Made of chrome molybdenum steel	6sets/CTN; 19kgs/CTN; CTN Size: 33x17x20cm
	YM-8088	13 Piece 1/2" Metric Impact Socket Set Includes 13 sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 27mm Made of chrome molybdenum steel	6sets/CTN; 19kgs/CTN; CTN Size: 33x17x20cm
	YM-8013	1/2 DR. DEEP IMP. SKT SET Metric 13PC Sizes: 10, 13, 14, 15, 17, 18, 19, 21, 22, 24, 27, 30, 32mm CrMo and CrV are available Black phosphate coated	4sets/CTN; 16.8kgs/CTN; CTN Size: 33.5x22x14.5cm
	YM-8014	1/2 DR. DEEP IMPACT SKT SET SAE 13PC Sizes: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4" CrMo and CrV are available Black phosphate coated	4sets/CTN; 17kgs/CTN; CTN Size: 33.5x22x14.5cm
	YM-8082	16 Piece 1/2" Metric Deep Wall Impact Socket Set Includes 16 sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm and one blow mould case. CrMo and CrV are available	4sets/CTN; 22kgs/CTN; CTN Size: 36x30x36cm
	YM-8091	16 Piece 1/2" SAE Deep Wall Impact Socket Set Includes 16 sockets: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4" and one blow mould case. CrMo and CrV are available	4sets/CTN; 22kgs/CTN; CTN Size: 36x30x36cm
	YM-8089	10 Piece 1/2" SAE Deep Wall Impact Socket Set Sizes: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1" Black phosphate coated Made of chrome molybdenum steel	4sets/CTN; 12kgs/CTN; CTN Size: 28x22x14.5cm
	YM-8090	10 Piece 1/2" Metric Deep Wall Impact Socket Set Sizes: 11, 12, 13, 14, 15, 17, 19, 21, 22 and 24mm Black phosphate coated Made of chrome molybdenum steel	4sets/CTN; 12kgs/CTN; CTN Size: 28x22x14.5cm


YUMING INTERNATIONAL LTD.

YUMING TOOLS

IMPACT SOCKET - SETS

PHOTO	ITEM NO	ITEM DESCRIPTION	PACKING
	YM-8101	1/2"Dr. METRIC Standard 10PC Impact socket set BMC PACKING with color sleeve Included: 10,12,13,14,15,16,17,19,21,22mm	10Sets/CTN 11kgs/CTN CTN Size: 26.5x22x26cm
	YM-8102	1/2"Dr. Imperial standard 10PC impact socket set BMC packing with color sleeve Included 9PCS socket :3/8",7/16",1/2",9/16",5/8",11/16", 3/4",13/16",15/16" 1PC 1/2"X3/8"Adaptor	10Sets/CTN 11kgs/CTN CTN Size: 26.5x22x26cm
	YM-8103	1/2"Dr. Metric dual 20pc Impact socket set BMC PACKING with color sleeve INCLUDED: 10PCS,1/2"Standard: 10,12,13,14,15,16,17,19,21,22mm 10pcs 1/2"Deep: 10,12,13,14,16,17,19,21,22,24mm	4Sets/CTN 15kgs/CTN CTN Size: 36.5x27.5x22cm
	YM-8104	1/2"Dr. Imperial dual 20pc impact socket set BMC packing,with color sleeve Included: 10PCS, 1/2"Standard: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" 10pcs 1/2"Deep: 7/16",1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"	4Sets/CTN 15.2kgs/CTN CTN Size: 36.5x27.5x22cm
	YM-8082A	1/2"Dr. MET Deep Wall Impact socket set 16pcs BMC PACKING with color sleeve INCLUDED: 10,11,12,13, 14,15,16,17,18,19,21,22,24,27,30,32mm	4Sets/CTN 19.4kgs/CTN CTN SIZE: 37X29.5X22cm
	YM-8105	12pcs 3/4"Dr. Metric Deep Wall Impact socket set Included:24,26,27,29,30,32,33, 34,35,36,38,41mm	2Sets/CTN 17.4kgs/CTN CTN SIZE: 39.5X29.5X17.5cm
	YM-8016	12pcs 1"Dr. Metric Standard Impact socket set Included:24,26,27,29,30,32,33, 34,35,36,38,41mm	2Sets/CTN 20.3kgs/CTN CTN SIZE: 39.5X29.5X17.5cm

YUMING INTERNATIONAL LTD.



YUMING TOOLS

IMPACT SOCKET - SETS

PHOTO	ITEM NO	ITEM DESCRIPTION	PACKING
	YM-8048	8 pcs 3/4" Drive Heavy Duty Metric Impact Socket set Include sizes: Short 26mm,27mm,29mm,30mm,32mm,35mm,36mm and 38mm Material: CRMO	4sets/CTN; 17.7kgs/CTN; CTN Size: 47.5x36x19.5cm
	YM-8049	8 pcs 3/4" Drive Heavy Duty SAE Impact Socket set Include sizes: Short 1",1-1/16",1-1/8",1-1/4",1-5/16",1-3/8",1-7/16"and1-1/2" Material: CRMO	4sets/CTN; 17.7kgs/CTN; CTN Size: 47.5x36x19.5cm
	YM-8085	8 Piece 3/4" Metric Deep Wall Impact Socket Set Includes sizes: 26, 27, 29, 30, 32, 35, 36, and 38mm and one blow mould storage case. Made of chrome molybdenum steel	4sets/CTN; 25kgs/CTN; CTN Size: 43x16x19cm
	YM-8050	8 Piece 3/4" SAE Deep Wall Impact Socket Set Includes sizes: 1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", and 1-1/2" with one blow mould storage case. Made of chrome molybdenum steel	4sets/CTN; 25kgs/CTN; CTN Size: 36x30x36cm
	YM-8054	8PCS 3/4" Metric Deep wall Impact socket set Include size: Deep 21 mm Budd wheel socket,24mm,26mm,27mm,29mm,30mm,32mm and 38mm Material: CRMO	3sets/CTN; 18.2kgs/CTN; CTN Size: 53x15x23.5cm
	YM-8086	8PCS 3/4" SAE Deep wall Impact socket set Include size: Deep 13/16"budd wheel,15/16",1",1-1/16",1-1/8",1-3/16"1-1/4",1-1/2" Material: CRMO	3sets/CTN; 16.5kgs/CTN; CTN Size: 53x15x23.5cm
	YM-8080	10pcs 3/4" Metric Impact Socket Set Includes 10 sockets: 24, 27, 30, 32, 33, 34, 36, 38, 41, 46mm with one blow mould case. Made of chrome molybdenum steel	4sets/CTN; 21kgs/CTN; CTN Size: 36x30x36cm
	YM-8081	10 Pcs 3/4" Metric Deep Wall Impact Socket Set Includes 10 deep wall impact socket: 24, 27, 30, 32, 33, 34, 36, 38, 41, 46mm with one blow mould case. Made of chrome molybdenum steel	4sets/CTN; 31kgs/CTN; CTN Size: 36x30x36cm


YUMING INTERNATIONAL LTD.

YUMING TOOLS

◉ IMPACT SOCKET - SETS

PHOTO	ITEM NO	ITEM DESCRIPTION	PACKING
	YM-8076	10PCS SAE 1" Heavy Duty Impact Socket Set Include size: 1",1-1/8",1-1/4",1-3/8",1-1/2", 1-5/8",1-3/4",1-7/8",2" and 1-1/2" x 13/16" budd wheel socket Material: CRMO	2sets/CTN; 18.7kgs/CTN; CTN Size: 36.5x24x19.7cm
	YM-8077	11IN IMPACT SKT. SET 10PC MET Sizes: 21,27,30,32,35,38,41,46,50, with 20x38mm bud wheel socket chromium molybdenum construction Black phosphate coated Blow mold case	2sets/CTN; 17.5kgs/CTN; CTN Size: 36.5x24x19.7cm
	YM-8078	10pcs Metric 1" Impact Socket Set Includes 10 sockets: 24, 27, 30, 32, 33, 34, 36, 38, 41, 46mm and one blow mould case. Made of chrome molybdenum steel	4sets/CTN; 30kgs/CTN; CTN Size: 36x30x36cm
	YM-8079	10pcs 1" Metric Deep Wall Impact Socket Set Includes 10 deep wall impact socket: 24, 27, 30, 32, 33, 34, 36, 38, 41, 46mm and one blow mould case. Made of chrome molybdenum steel	2sets/CTN; 23kgs/CTN; CTN Size: 36x30x18cm
	YM-8052	10PCS 1" Drive SAE/Metric Truck Service Impact set Include: 13/16"(21mm) square,7/8"(22mm), 15/16"(24mm),1",1-3/16",1-1/2"(38mm), Deep Wall:1-1/16"(27mm),1-1/8",1-1/4",33mm Material : CRMO	2sets/CTN; 15.7kgs/CTN; CTN Size: 36.5x24x19.7cm
	YM-8098	5PC 1/2"Dr. 12PT Deep Impact Socket Set Metric Includes 5pcs 12pt deep sockets: 30,32,34,35,36mm made of chrome vanadium steel	5 Set/CTN 12.1KGS/CTN CTN SIZE: 37x29x20CM
	YM-8099	14PC 1/2"Dr. 6PT Shallow Impact Socket Set Metric Includes 14pcs 6pt shallow sockets: 10,11,12,13,14,16,17,19,21,22,24,27,30,32mm made of chrome vanadium steel	5 Set/CTN 9.5KGS/CTN CTN SIZE: 33.5x29x20CM

YUMING INTERNATIONAL LTD.



YUMING TOOLS


IMPACT SOCKET - SETS

PHOTO	ITEM NO	ITEM DESCRIPTION	PACKING
	YM-8010M	26PCS 1" & 3/4" Drive Socket Set MET <hr/> Set includes: 3/4" 17PCS: 21, 22, 23, 24, 26, 27, 28, 29, 30, 31, 32, 34, 36, 38, 41, 46, 50mm 1" 3PCS: 55mm, 60mm, 65mm, Accessories 6PCS: 1pc adding-force bar; 1pc big & small slide head; 1pc heavy ratchet head; 1pc impact socket universal joint; 1pc extension bar; 1pc heavy sliding bar	1set/CTN; 20kgs/CTN; CTN Size: 57x32x13cm
	YM-8010S	26PCS 1" & 3/4" Drive Socket Set SAE <hr/> Set includes: 3/4" 17PCS: 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-9/16, 1-5/8, 1-3/4, 1-13/16, 1-7/8, 2 inch 1" 3PCS: 2-1/4, 2-3/8, 2-5/8 inch Accessories 6PCS: 1pc adding-force bar; 1pc big & small slide head; 1pc heavy ratchet head; 1pc impact socket universal joint; 1pc extension bar; 1pc heavy sliding bar	1set/CTN; 20kgs/CTN; CTN Size: 57x32x13cm

12 POINT IMPACT SOCKET SET

PHOTO	ITEM NO	ITEM DESCRIPTION	PACKING
	YM-8096	12 point 13 Piece 1/2" SAE Deep Wall Impact Set <hr/> Includes 13 sockets: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"	4sets/CTN; 16.7kgs/CTN; CTN Size: 33x22x14.5cm
	YM-8097	12 point 13 Piece 1/2" Metric Deep Wall Impact Set <hr/> Includes 13 sockets: 10mm, 13mm, 14mm, 15mm, 17mm, 18mm, 19mm, 21mm, 22mm, 24mm, 27mm, 30mm, 32mm	4sets/CTN; 16.7kgs/CTN; CTN Size: 33x22x14.5cm

YUMING INTERNATIONAL LTD.




YUMING TOOLS

IMPACT SOCKET - SETS

PHOTO	ITEM NO	ITEM DESCRIPTION
	YM- 143499	<p>3/8" DRIVE METRIC 12PC IMPACT SOCKET SET</p> <p>Includes:8,10,12,13,14,15,16,17,18,19,21,22mm</p> <ul style="list-style-type: none"> . Durable heat treated chrome vanadium steel construction . Black phosphate finish . Heavy duty impact resistant . 6 point hex sockets reduce bit slippage and rounding . For use with pneumatic andelectric impact wrenches . Laser etched socket sizing for quick & easy identification . Socket rail clip for storage,when not in use could put into tool box
	YM- 143500	<p>3/8" DRIVE METRIC DEEP 12PC IMPACT SOCKET SET</p> <p>Includes:8,10,12,13,14,15,16,17,18,19,21,22mm</p> <ul style="list-style-type: none"> . Durable heat treated chrome vanadium steel construction . Black phosphate finish . Heavy duty impact resistant . 6 point hex sockets reduce bit slippage and rounding . Deep socket wells help with longer fasteners . For use with pneumatic andelectric impact wrenches . Laser etched socket sizing for quick & easy identification . Socket rail clip for storage,when not in use could put into tool box
	YM- 143501	<p>3/8" DRIVE1 IMPERIAL DEEP 12PC IMPACT SOCKET SET</p> <p>Includes: 5/16",3/8",7/16",1/2",9/16",5/8",11/16",3/4",13/16",7/8",15/16",1"</p> <ul style="list-style-type: none"> . Durable heat treated chrome vanadium steel construction . Black phosphate finish . Heavy duty impact resistant . 6 point hex sockets reduce bit slippage and rounding . Deep socket wells help with longer fasteners . For use with pneumatic andelectric impact wrenches . Laser etched socket sizing for quick & easy identification . Socket rail clip for storage,when not in use could put into tool box
	YM- 143502	<p>3/8" DRIVE IMPERIAL 12PC IMPACT SOCKET SET</p> <p>Includes:5/16",3/8",7/16",1/2",9/16",5/8",11/16",3/4",13/16",7/8",15/16",1"</p> <ul style="list-style-type: none"> . Durable heat treated chrome vanadium steel construction . Black phosphate finish . Heavy duty impact resistant . 6 point hex sockets reduce bit slippage and rounding . For use with pneumatic andelectric impact wrenches . Laser etched socket sizing for quick & easy identification . Socket rail clip for storage,when not in use could put into tool box

YUMING INTERNATIONAL LTD.




YUMING TOOLS

◻ IMPACT SOCKET - SETS

PHOTO	ITEM NO	ITEM DESCRIPTION
	YM- 143503	<p><u>1/2" DRIVE METRIC 12PC IMPACT SOCKET SET</u></p> <p>Includes: 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm</p> <ul style="list-style-type: none"> . Durable heat treated chrome vanadium steel construction . Black phosphate finish . Heavy duty impact resistant . 6 point hex sockets reduce bit slippage and rounding . For use with pneumatic and electric impact wrenches . Laser etched socket sizing for quick & easy identification . Socket rail clip for storage, when not in use could put into tool box
	YM- 143504	<p><u>1/2" DRIVE METRIC DEEP 12PC IMPACT SOCKET SET</u></p> <p>Includes: 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm</p> <ul style="list-style-type: none"> . Durable heat treated chrome vanadium steel construction . Black phosphate finish . Heavy duty impact resistant . 6 point hex sockets reduce bit slippage and rounding . Deep socket wells help with longer fasteners . For use with pneumatic and electric impact wrenches . Laser etched socket sizing for quick & easy identification . Socket rail clip for storage, when not in use could put into tool box
	YM- 143505	<p><u>1/2" DRIVE IMPERIAL DEEP 12PC IMPACT SOCKET SET</u></p> <p>Includes: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"</p> <ul style="list-style-type: none"> . Durable heat treated chrome vanadium steel construction . Black phosphate finish . Heavy duty impact resistant . 6 point hex sockets reduce bit slippage and rounding . Deep socket wells help with longer fasteners . For use with pneumatic and electric impact wrenches . Laser etched socket sizing for quick & easy identification . Socket rail clip for storage, when not in use could put into tool box
	YM- 143506	<p><u>1/2" DRIVE IMPERIAL 12PC IMPACT SOCKET SET</u></p> <p>Includes: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"</p> <ul style="list-style-type: none"> . Durable heat treated chrome vanadium steel construction . Black phosphate finish . Heavy duty impact resistant . 6 point hex sockets reduce bit slippage and rounding . For use with pneumatic and electric impact wrenches . Laser etched socket sizing for quick & easy identification . Socket rail clip for storage, when not in use could put into tool box

YUMING INTERNATIONAL LTD.




YUMING TOOLS

◻ IMPACT SOCKET - SETS

PHOTO	ITEM NO	ITEM DESCRIPTION
	YM- 143507	<p><u>1/2" DRIVE METRIC 9PC TORX IMPACT SOCKET BIT SET</u></p> <p>Includes: T20,T25,T30,T40,T45,T50,T55,T60,T70</p> <ul style="list-style-type: none"> . Durable heat treated chrome vanadium steel construction . Black phosphate finish . Heavy duty impact resistant . For use with pneumatic andelectric impact wrenches . Laser etched socket sizing for quick & easy identification . Rail clip for storage,when not in use could put into tool box
	YM- 143508	<p><u>1/2" DRIVE METRIC 9PC HEX IMPACT SOCKET BIT SET</u></p> <p>Includes: H4, 5, 6, 8, 10, 12, 14, 17, 19mm</p> <p>Durable heat treated chrome vanadium steel construction</p> <ul style="list-style-type: none"> . Black phosphate finish . Heavy duty impact resistant . For use with pneumatic andelectric impact wrenches . Laser etched socket sizing for quick & easy identification . Rail clip for storage,when not in use could put into tool box
	YM- 143509	<p><u>5PCS IMPACT ADAPTOR SET</u></p> <p>Includes: 1PC 1/4"F x 3/8"M Adapotor 1PC 3/8"F x 1/4"M Adapotor 1PC 3/8"F x 1/2"M Adapotor 1PC 1/2"F x 3/8"M Adapotor 1PC 1/2"F x 3/4"M Adapotor</p> <ul style="list-style-type: none"> . Durable heat treated chrome vanadium steel construction . Black phosphate finish . Heavy duty impact resistant . Durable heat treated chrome vanadium steel construction . Black phosphate finish . Heavy duty impact resistant . Spring loaded detent balls secures sockets firmly in place . For use with pneumatic andelectric impact wrenches . Laser etched sizing for quick & easy identification . Socket rail clip for storage,when not in use could put into tool box

YUMING INTERNATIONAL LTD.




YUMING TOOLS

IMPACT SOCKET - SETS

PHOTO	ITEM NO	ITEM DESCRIPTION
	YM- 111022	<p>1/2" DRIVE METRIC STANDARD 10PC IMPACT SOCKET SET</p> <p>Includes: 10,12,13,14,15,16,17,19,21,22mm</p> <ul style="list-style-type: none"> . Durable heat treated chrome Molybdenum steel construction . Black phosphate finish . Heavy duty impact resistant . 6 point hex sockets reduce bit slippage and rounding . With EVA BMC . For use with pneumatic andelectric impact wrenches . Laser etched socket sizing for quick & easy identification
	YM- 111023	<p>1/2" DRIVE IMPERIAL STANDARD 10PC IMPACT SOCKET SET</p> <p>Includes:</p> <ul style="list-style-type: none"> 3/8",7/16",1/2",9/16",5/8",11/16",3/4",13/16",15/16", 1/2"X3/8" Adaptor . Durable heat treated chrome Molybdenum steel construction . Black phosphate finish . Heavy duty impact resistant . 6 point hex sockets reduce bit slippage and rounding . With EVA BMC . For use with pneumatic andelectric impact wrenches . Laser etched socket sizing for quick & easy identification
	YM- 111027	<p>1/2" DR METRIC STANDARD AND DEEP 20PC IMPACT SOCKET SET</p> <p>Includes:</p> <ul style="list-style-type: none"> 10PCS Standard:10,12,13,14,15,16,17,19,21,22mm 10pcs Deep:10,12,13,14,16,17,19,21,22,24mm . Durable heat treated chrome Molybdenum steel construction . Black phosphate finish . Heavy duty impact resistant . 6 point hex sockets reduce bit slippage and rounding . With EVA BMC . For use with pneumatic andelectric impact wrenches . Laser etched socket sizing for quick & easy identification
	YM- 111028	<p>1/2" DR IMPERIAL STANDARD AND DEEP 20PC IMPACT SOCKET SET</p> <p>Includes:</p> <ul style="list-style-type: none"> 10PCS Standard::3/8",7/16",1/2",9/16",5/8",11/16,3/4",13/16",7/8",15/16" 10pcs Deep:7/16",1/2",9/16",5/8",11/16,3/4",13/16",7/8",15/16",1" . Durable heat treated chrome Molybdenum steel construction . Black phosphate finish . Heavy duty impact resistant . 6 point hex sockets reduce bit slippage and rounding . With EVA BMC . For use with pneumatic andelectric impact wrenches . Laser etched socket sizing for quick & easy identification

YUMING INTERNATIONAL LTD.



YUMING TOOLS

◻ IMPACT SOCKET - SETS

PHOTO	ITEM NO	ITEM DESCRIPTION
-------	---------	------------------



YM- 125945

1/2" DR METRIC DEEP 11PC IMPACT SOCKET SET

Includes:

11pcs 1/2" Drive METRIC deep impact sockets:
10,11,12,13,14,16,17,19,21,22,24mm

- . Durable heat treated chrome Molybdenum steel construction
- . Black phosphate finish
- . Heavy duty impact resistant
- . 6 point hex sockets reduce bit slippage and rounding
- . With window BMC
- . For use with pneumatic andelectric impact wrenches
- . Laser etched socket sizing for quick & easy identification



YM- 125946

1/2" DR IMPERIAL DEEP 11PC IMPACT SOCKET SET

Includes:

11pcs 1/2" Drive SAE deep impact sockets:
3/8",7/16",1/2",9/16", 5/8",11/16",3/4", 13/16",7/8",15/16",1"

- . Durable heat treated chrome Molybdenum steel construction
- . Black phosphate finish
- . Heavy duty impact resistant
- . 6 point hex sockets reduce bit slippage and rounding
- . With window BMC
- . For use with pneumatic andelectric impact wrenches
- . Laser etched socket sizing for quick & easy identification



YM- 158786

1/2" DRIVE METRIC 29PCS IMPACT SOCKET &EXTENSION BAR SET

Includes:

26pcs 1/2" Drive sockets:

10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm,
21mm, 22mm, 23mm, 24mm, 25mm, 26mm, 27mm, 28mm, 29mm, 30mm, 32mm,
33mm, 34mm, 35mm & 36mm

3 x 1/2" extension bar:

50mm, 75mm & 150mm


- . Durable heat treated chrome Molybdenum steel construction
- . Black phosphate finish
- . Heavy duty impact resistant
- . 6 point hex sockets reduce bit slippage and rounding
- . With heavy duty BMC,metal buckle
- . For use with pneumatic andelectric impact wrenches
- . Laser etched socket sizing for quick & easy identification

YUMING INTERNATIONAL LTD.

Add: 4/F., Noble Center No.1006 3rd. Fuzhong Rd. Futian District, Shenzhen China 518026

Tel: 0086-0755-88262922 Fax: 0086-0755-88262933

E-mail: yumingtools@yumingtools.com http://www.yumingtools.com




YUMING TOOLS

◉ IMPACT SOCKET - SETS

PHOTO	ITEM NO	ITEM DESCRIPTION
	YM- 158787	<p><u>1/2" DRIVE METRIC 18PC IMPACT SOCKET SET</u></p> <p>Includes: 18pcs 1/2" Drive impact sockets: 10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,27,30,32mm</p> <ul style="list-style-type: none"> . Durable heat treated chrome Molybdenum steel construction . Black phosphate finish . Heavy duty impact resistant . 6 point hex sockets reduce bit slippage and rounding . With heavy duty BMC,metal buckle . For use with pneumatic and electric impact wrenches . Laser etched socket sizing for quick & easy identification
	YM- 146049	<p><u>1/2" DRIVE METRIC 9PC RIBE IMPACT SOCKET BIT SET</u></p> <p>Includes: 9pcs Ribe Impact Socket Bit: RT5, RT6, RT7, RT8, RT9, RT10, RT12, RT13 & RT14</p> <ul style="list-style-type: none"> . High Quality Chrome Molybdenum Steel . High Torque Design . High Impact Resistance . Portable Heavy Duty Case . 1 x Heavy Duty Case
	YM- 146076	<p><u>1/2" DRIVE METRIC 9PC SPLINE IMPACT SOCKET BIT SET</u></p> <p>Includes: 9pcs Spline Impact Socket Bit: 1/2" Dr.L=78mm M5, M6, M8, M9, M10, M11, M12, M14 & M16</p> <ul style="list-style-type: none"> . High Quality Chrome Molybdenum Steel . High Torque Design . High Impact Resistance . Portable Heavy Duty Case . 1 x Heavy Duty Case

YUMING INTERNATIONAL LTD.




YUMING TOOLS

◉ IMPACT SOCKET - SETS

PHOTO	ITEM NO	ITEM DESCRIPTION
	YM-146092	<p>1" DRIVE 6 POINT METRIC DEEP 14PC IMPACT SOCKET SET</p> <p>Includes:</p> <p>14pcs 1" Drive deep impact sockets: 1"Dr. L=88mm 27, 30, 32, 33, 36, 38, 40, 41, 42, 46, 50, 55, 60 & 65mm</p> <ul style="list-style-type: none"> . Durable heat treated chrome Molybdenum steel construction . Black phosphate finish . Heavy duty impact resistant . 6 point hex sockets reduce bit slippage and rounding . With heavy duty BMC,metal buckle . For use with pneumatic andelectric impact wrenches . Laser etched socket sizing for quick & easy identification
	YM-146093	<p>1" DRIVE 6 POINT IMPERIAL DEEP 14PC IMPACT SOCKET SET</p> <p>Includes:</p> <p>14pcs 1" Drive deep impact sockets: 1"Dr. L=88mm 1-1/4", 1-5/16", 1-7/16", 1-1/2", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 2", 2-1/8", 2-1/4", 2-3/8", & 2-1/2"</p> <p>27, 30, 32, 33, 36, 38, 40, 41, 42, 46, 50, 55, 60 & 65mm</p> <ul style="list-style-type: none"> . Durable heat treated chrome Molybdenum steel construction . Black phosphate finish . Heavy duty impact resistant . 6 point hex sockets reduce bit slippage and rounding . With heavy duty BMC,metal buckle . For use with pneumatic andelectric impact wrenches . Laser etched socket sizing for quick & easy identification
	YM-146094	<p>1/2" DRIVE METRIC STANDARD & DEEP 30PC IMPACT SOCKET SET</p> <p>Includes:</p> <p>1/2"Dr.15pc ST: 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm. 1/2"Dr.15pc Deep: 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm</p> <ul style="list-style-type: none"> . Durable heat treated chrome Molybdenum steel construction . Black phosphate finish . Heavy duty impact resistant . 6 point hex sockets reduce bit slippage and rounding . With heavy duty BMC,metal buckle . For use with pneumatic andelectric impact wrenches . Laser etched socket sizing for quick & easy identification
	YM-139582	<p>3/4" DRIVE METRIC DEEP 9PC IMPACT SOCKET SET</p> <p>Includes:</p> <p>26, 27, 29, 30, 32, 35, 36, 38mm</p> <ul style="list-style-type: none"> . Durable heat treated chrome Molybdenum steel construction . Black phosphate finish . Heavy duty impact resistant . 6 point hex sockets reduce bit slippage and rounding . With heavy duty BMC,metal buckle . For use with pneumatic andelectric impact wrenches . Laser etched socket sizing for quick & easy identification

YUMING INTERNATIONAL LTD.




YUMING TOOLS


IMPACT SOCKET - SETS

PHOTO	ITEM NO	ITEM DESCRIPTION
	YM- 146095	<p>1/2" DRIVE METRIC & IMPERIAL STANDARD & DEEP 42PC IMPACT SOCKET SET</p> <hr/> <p>Includes:</p> <p>1/2"Dr. 11pc Metric ST :10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 24mm 1/2"Dr. 11pc Metric Deep:10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 24mm 1/2"Dr. 10pc Imperial ST: 3/8",1/2",9/16",5/8",3/4",13/16",15/16",1",1-1/16",1-1/8". 1/2"Dr. 10pc Imperial Deep: 3/8",1/2",9/16",5/8",3/4",13/16",15/16",1",1-1/16",1-1/8"</p> <ul style="list-style-type: none"> . Durable heat treated chrome Molybdenum steel construction . Black phosphate finish . Heavy duty impact resistant . 6 point hex sockets reduce bit slippage and rounding . With heavy duty BMC,metal buckle . For use with pneumatic andelectric impact wrenches . Laser etched socket sizing for quick & easy identification
	YM- 146096	<p>3/8" DRIVE METRIC DEEP 12PC IMPACT SOCKET SET</p> <hr/> <p>Includes: : 8,10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21mm</p> <ul style="list-style-type: none"> . Durable heat treated chrome Molybdenum steel construction . Black phosphate finish . Heavy duty impact resistant . 6 point hex sockets reduce bit slippage and rounding . With heavy duty BMC,metal buckle . For use with pneumatic andelectric impact wrenches . Laser etched socket sizing for quick & easy identification
	YM- 146097	<p>3/4" DRIVE METRIC DEEP 6PC HEX IMPACT SOCKET SET</p> <hr/> <p>Includes: H12, 14, 17, 19, 22, 24mm,L=100mm</p> <ul style="list-style-type: none"> . Durable heat treated chrome vanadium steel construction . Black phosphate finish . Heavy duty impact resistant . For use with pneumatic andelectric impact wrenches . With heavy duty BMC,metal buckle . Laser etched socket sizing for quick & easy identification
	YM- 146098	<p>3/4" DRIVE IMPERIAL DEEP 6PC HEX IMPACT SOCKET SET</p> <hr/> <p>Includes: H1/2,9/16",5/8",3/4",7/8",1",L=100mm</p> <ul style="list-style-type: none"> . Durable heat treated chrome vanadium steel construction . Black phosphate finish . Heavy duty impact resistant . For use with pneumatic andelectric impact wrenches . With heavy duty BMC,metal buckle . Laser etched socket sizing for quick & easy identification


YUMING INTERNATIONAL LTD.



3/8" IMPACT SOCKET



- E** Nominal size across flats
- D1** Max. outside dia. socket end
- D2** Max. outside dia. sq. drive end
- L** Nominal overall length
- L2** Min. depth of socket form



3/8" STANDARD METRIC

ITEM NO.	SIZE MM	SHAPE	D1 MM	D2 MM	L2 MM	L MM
801010	10	A	15	18	13	30
801012	12	B	20	20	13	30
801013	13	B	20	20	13	30
801014	14	B	22	22	13	30
801015	15	B	24	24	13	30
801016	16	B	24	24	13	30
801017	17	B	26	26	13	30
801018	18	B	26	26	13	30

3/8" STANDARD SAE

ITEM NO.	SIZE MM	SHAPE	D1 MM	D2 MM	L2 MM	L MM
80100516	5/16"	A	13.5	18	13	30
80100616	3/8"	A	15	18	13	30
80100716	7/16"	B	18	18	13	30
80100816	1/2"	B	20	20	13	30
80100916	9/16"	B	22	22	13	30
80101016	5/8"	B	24	24	13	30
80101116	11/16"	B	26	26	13	30
80101216	3/4"	B	28	28	13	30


3/8" DEEP SAE

ITEM NO.	SIZE MM	SHAPE	D1 MM	D2 MM	L2 MM	L MM
80100516	5/16"	A	13.5	18	13	30
80100616	3/8"	A	15	18	13	30
80100716	7/16"	B	18	18	13	30
80100816	1/2"	B	20	20	13	30
80100916	9/16"	B	22	22	13	30
80101016	5/8"	B	24	24	13	30
80101116	11/16"	B	26	26	13	30
80101216	3/4"	B	28	28	13	30

YUMING INTERNATIONAL LTD.



1/2" STANDARD IMPACT SOCKET



- E** Nominal size across flats
- D1** Max. outside dia. socket end
- D2** Max. outside dia. sq. drive end
- L** Nominal overall length
- L2** Min. depth of socket form



1/2" STANDARD METRIC

ITEM#	SIZE MM	SHAPE	D1 MM	D2 MM	L2 MM	L MM
801310	10	A	17	24	18	38
801311	11	A	18	24	18	38
801312	12	A	19	24	18	38
801313	13	A	20	24	18	38
801314	14	A	21	24	18	38
801315	15	B	24	24	18	38
801316	16	B	24	24	18	38
801317	17	B	26	26	18	38
801318	18	B	28	28	21	38
801319	19	B	28	28	21	38
801321	21	B	30	30	21	38
801322	22	C	32	30	21	38
801327	27	C	38	30	26.5	43.5

1/2" STANDARD SAE


ITEM#	SIZE INCH	SHAPE	D1 MM	D2 MM	L2 MM	L MM
80130716	7/16"	A	18	24	18	38
80130816	1/2"	A	20	24	18	38
80130916	9/16"	A	21	24	18	38
80131016	5/8"	B	24	24	18	38
80131116	11/16"	B	24	26	21	38
80131216	3/4"	B	28	28	21	38
80131316	13/16"	B	30	30	21	38
80131416	7/8"	B	32	30	21	38
80131516	15/16"	B	34	30	21	38
80131616	1"	B	36	30	21	38
80131716	1-1/16"	B	38	30	26	43.5
80131816	1-1/8"	C	40	30	26	43.5
80132016	1-1/4"	C	44	30	28	45

YUMING INTERNATIONAL LTD.




Impact Sockets 1/2"

METRIC DEEP IMPACT SOCKETS - 6 POINT




- E** Nominal size across flats
- D1** Max. outside dia. socket end
- D2** Max. outside dia. sq. drive end
- L** Nominal overall length
- L2** Min. depth of socket form




ITEM NO.	E MM	SHAPE	D1 MM	D2 MM	L2 MM	L MM
801310L	10	A	16	24	24	78
801311L	11	A	16	24	25	78
801312L	12	A	18	24	25	78
801313L	13	A	19	24	25	78
801314L	14	A	21	24	27	78
801315L	15	B	24	24	27	78
801316L	16	B	24	24	27	78
801317L	17	B	26	26	37.5	78
801318L	18	B	28	28	36	78
801319L	19	B	28	28	36	78
801321L	21	B	30	30	36	78
801322L	22	B	32	32	36	78
801323L	23	B	33	33	36	78
801324L	24	B	34	34	36	78
801327L	27	B	38	38	38	78
801330L	30	C	42	38	38	78
801332L	32	C	44	38	38	78
801335L	35	C	48	38	38	78
801336L	36	C	50	38	38	78
801338L	38	C	52	38	40	78
801341L	41	C	55	38	40	78

YUMING INTERNATIONAL LTD.




Impact Sockets 1/2"

SAE DEEP IMPACT SOCKETS - 6 POINT




- E** Nominal size across flats
- D1** Max. outside dia. socket end
- D2** Max. outside dia. sq. drive end
- L** Nominal overall length
- L2** Min. depth of socket form




ITEM NO.	E INCH	SHAPE	D1 MM	D2 MM	L2 MM	L MM
80130516L	5/16"	A	16	23	24	78
80130616L	3/8"	A	17	23	24	78
80130716L	7/16"	A	16	24	24	78
80130816L	1/2"	A	19	24	27	78
80130916L	9/16"	A	21	24	37.5	78
80131016L	5/8"	B	24	24	37.5	78
80131116L	11/16"	B	26	26	37.5	78
80131216L	3/4"	B	28	28	37.5	78
80131316L	13/16"	B	30	30	37.5	78
80131416L	7/8"	B	32	32	37.5	78
80131516L	15/16"	B	34	34	38	78
80131616L	1"	B	36	36	38	78
80131716L	1-1/16"	B	38	38	38	78
80131816L	1-1/8"	C	40	38	38	78
80132016L	1-1/4"	C	44	38	38	78
80132216L	1-3/8"	C	48	30	38	78
80132416L	1-1/2"	C	52	30	40	78
80132616L	1-5/8"	C	55	30	40	78

YUMING INTERNATIONAL LTD.



IMPACT SOCKETS 3/4"

METRIC IMPACT SOCKETS - 6 POINT



- E** Nominal size across flats
- D1** Max. outside dia. socket end
- D2** Max. outside dia. sq. drive end
- L** Nominal overall length
- L2** Min. depth of socket form



A

B

C


ITEM NO.	E MM	SHAPE	D1 MM	D2 MM	L2 MM	L MM	ITEM NO.	E MM	SHAPE	D1 MM	D2 MM	L2 MM	L MM
801917	17	A	30	38	23	53	801940	40	C	59	44	25	57
801918	18	A	31	38	23	53	801941	41	C	60	44	26	58
801919	19	A	33	38	23	53	801942	42	C	61	44	26	58
801920	20	A	34	38	23	53	801943	43	C	62	44	26	58
801921	21	A	35	38	23	53	801944	44	C	63.5	44	28	60
801922	22	A	36	38	23	53	801945	45	C	64.5	44	28	60
801923	23	B	38	38	23	53	801946	46	C	66	44	28	60
801924	24	B	38	38	23	53	801948	48	C	68	54	35	68
801925	25	B	39	39	23	53	801950	50	C	70	54	33	68
801926	26	C	40	38	21	53	801951	51	C	71	54	33	68
801927	27	C	41	38	21	53	801952	52	C	72.5	54	35	70
801928	28	C	44	38	21	53	801954	54	C	75	54	35	70
801929	29	C	45	38	21	53	801955	55	C	76	54	35	70
801930	30	C	47	44	21	53	801956	56	C	79	54	38	73
801931	31	C	48	44	21	53	801957	57	C	80	54	38	73
801932	32	C	49	44	21	53	801960	60	C	84	54	40	75
801933	33	C	49.5	44	21	53	801963	63	C	88	54	40	75
801934	34	C	51.5	44	21	53	801965	65	C	89	58	40	75
801935	35	C	52	44	21	53	801970	70	C	94	62	40	75
801936	36	C	53	44	21	53	801975	75	C	100	68	48	80
801938	38	C	57	44	25	57	801980	80	C	106	68	48	80

YUMING INTERNATIONAL LTD.

Add: 4/F., Noble Center No.1006 3rd. Fuzhong Rd. Futian District, Shenzhen China 518026


Tel: 0086-0755-88262922 Fax: 0086-0755-88262933

E-mail: yumingtools@yumingtools.com http://www.yumingtools.com




IMPACT SOCKETS 3/4"

SAE IMPACT SOCKETS - 6 POINT




- E** Nominal size across flats
- D1** Max. outside dia. socket end
- D2** Max. outside dia. sq. drive end
- L** Nominal overall length
- L2** Min. depth of socket form




ITEM NO.	E INCH	SHAPE	D1 MM	D2 MM	L2 MM	L MM
80191116	11/16"	A	30	38	27	53
80191216	3/4"	A	32	38	27	53
80192532	25/32"	A	33	38	27	53
80191316	13/16"	A	35	38	27	53
80191416	7/8"	A	36	40	27	53
80191516	15/16"	B	39	40	27	53
80191616	1"	B	40	42	27	53
80191716	1-1/16"	C	42	44	27	53
80191816	1-1/8"	C	45	44	27	53
80191916	1-3/16"	C	46	44	27	53
80192016	1-1/4"	C	49	44	27	53
80192116	1-5/16"	C	50	44	27	53
80192216	1-3/8"	C	53	44	27	53
80192316	1-7/16"	C	54	44	27	53
80192416	1-1/2"	C	56	44	27	57
80192516	1-9/16"	C	59	44	28	57
80192616	1-5/8"	C	60	44	28	57
80192716	1-11/16"	C	63	44	30	58

YUMING INTERNATIONAL LTD.




IMPACT SOCKETS 3/4"

○ METRIC DEEP IMPACT SOCKETS - 6 POINT




- E** Nominal size across flats
- D1** Max. outside dia. socket end
- D2** Max. outside dia. sq. drive end
- L** Nominal overall length
- L2** Min. depth of socket form




ITEM NO.	E MM	SHAPE	D1 MM	D2 MM	L2 MM	L MM	ITEM NO.	E MM	SHAPE	D1 MM	D2 MM	L2 MM	L MM
801917L	17	A	31	38	35	78	801938L	38	C	56	44	35	78
801918L	18	A	32	38	35	78	801941L	41	C	60	44	35	78
801919L	19	A	33	38	35	78	801942L	42	C	61	44	35	78
801920L	20	A	33	38	35	78	801943L	43	C	62	44	35	78
801921L	21	A	35	38	35	78	801944L	44	C	63.5	44	35	78
801922L	22	A	36	38	35	78	801945L	45	C	64.5	44	35	78
801923L	23	B	38	38	35	78	801946L	46	C	66	44	35	78
801924L	24	B	39	39	35	78	801948L	48	C	68	54	35	78
801925L	25	B	40	40	35	78	801950L	50	C	70	54	35	78
801926L	26	B	41	41	35	78	801951L	51	C	71	54	35	78
801928L	28	B	44	44	35	78	801952L	52	C	72.5	54	35	78
801929L	29	C	45	44	35	78	801954L	54	C	75	54	35	78
801930L	30	C	46	44	35	78	801955L	55	C	78	54	35	78
801931L	31	C	48	44	35	78	801956L	56	C	79	54	35	78
801932L	32	C	49	44	35	78	801957L	57	C	80	54	35	78
801933L	33	C	50	44	35	78	801960L	60	C	84	54	35	78
801934L	34	C	51	44	35	78	801963L	63	C	88	54	35	78
801935L	35	C	53	44	35	78	801965L	65	C	89	58	35	78
801936L	36	C	54	44	35	78	801970L	70	C	94	62	35	78

YUMING INTERNATIONAL LTD.



IMPACT SOCKETS 3/4"

O SAE DEEP IMPACT SOCKETS - 6 POINT




- E** Nominal size across flats
- D1** Max. outside dia. socket end
- D2** Max. outside dia. sq. drive end
- L** Nominal overall length
- L2** Min. depth of socket form




ITEM NO.	E INCH	SHAPE	D1 MM	D2 MM	L2 MM	L MM
80191316L	13/16"	A	37	40	59	90
80191516L	15/16"	B	40	40	41	90
80191616L	1"	B	42	42	41	90
80191716L	1-1/16"	B	42	42	41	90
80191816L	1-1/8"	B	44	44	41	90
80191916L	1-3/16"	C	46	44	41	90
80192016L	1-1/4"	C	48	44	36	90
80192416L	1-1/2"	C	56	44	56	90

YUMING INTERNATIONAL LTD.



IMPACT SOCKETS 1"

METRIC IMPACT SOCKETS - 6 POINT



- E** Nominal size across flats
- D1** Max. outside dia. socket end
- D2** Max. outside dia. sq. drive end
- L** Nominal overall length
- L2** Min. depth of socket form



A

B

C


ITEM NO.	E MM	SHAPE	D1 MM	D2 MM	L2 MM	L MM	ITEM NO.	E MM	SHAPE	D1 MM	D2 MM	L2 MM	L MM
802517	17	A	38	49	44	80	802543	43	C	62.5	54	44	80
802518	18	A	38	49	44	80	802544	44	C	64	54	44	80
802519	19	A	38	49	44	80	802545	45	C	65	54	44	80
802520	20	A	38	49	44	80	802546	46	C	66	54	44	80
802521	21	A	38	49	44	80	802547	47	C	67	54	44	80
802522	22	A	38	49	44	80	802548	48	C	69.5	54	44	80
802523	23	A	38	49	44	80	802550	50	C	71	56	44	80
802524	24	A	40	49	44	80	802552	52	C	73.5	60	44	80
802525	25	A	40	49	44	80	802553	53	C	75.5	60	44	80
802526	26	A	42	49	44	80	802555	55	C	77.5	60	44	80
802527	27	A	44	49	44	80	802556	56	C	78	60	44	80
802528	28	A	44	49	44	80	802557	57	C	78	60	44	80
802529	29	B	45	49	44	80	802558	58	C	79	62	44	80
802530	30	B	49	49	44	80	802560	60	C	83	66	44	80
802531	31	B	49	49	44	80	802562	62	C	86	66	44	80
802532	32	C	52	49	44	80	802563	63	C	87	66	44	80
802533	33	C	52	50	44	80	802565	65	C	93	66	44	80
802534	34	C	53	50	44	80	802568	68	C	93.5	68	44	80
802535	35	C	54	50	44	80	802570	70	C	95	70.5	44	80
802536	36	C	55	50	44	80	802572	72	C	98.5	70.5	44	80
802537	37	C	55	50	44	80	802575	75	C	104	72	44	80
802538	38	C	58	50	44	80	802580	80	C	109	78	44	80
802539	39	C	58	50	44	80	802585	85	C	118	78	44	80
802540	40	C	60	50	44	80	802590	90	C	123	86	44	80
802541	41	C	60	50	44	80	802595	95	C	128	90	44	80
802542	42	C	61.5	54	44	80	8025100	100	C	136	90	44	80

YUMING INTERNATIONAL LTD.

Add: 4/F., Noble Center No.1006 3rd. Fuzhong Rd. Futian District, Shenzhen China 518026


Tel: 0086-0755-88262922 Fax: 0086-0755-88262933

E-mail: yumingtools@yumingtools.com http://www.yumingtools.com




IMPACT SOCKETS 1"

SAE IMPACT SOCKETS - 6 POINT




- E** Nominal size across flats
- D1** Max. outside dia. socket end
- D2** Max. outside dia. sq. drive end
- L** Nominal overall length
- L2** Min. depth of socket form




ITEM#	E INCH	SHAPE	D1 MM	D2 MM	L2 MM	L MM
80251316	13/16"	A	38	50	25	60
80251416	7/8"	A	39	50	25	60
80251516	15/16"	A	42	50	25	60
80251616	1"	A	43	50	25	60
80251716	1-1/16"	A	43	50	25	60
80251816	1-1/8"	A	48	50	25	60
80251916	1-3/16"	A	48	50	25	60
80252016	1-1/4"	B	50	50	25	60
80252116	1-5/16"	B	50	50	25	60
80252216	1-3/8"	B	54	54	27	60
80252316	1-7/16"	B	54	54	27	60
80252416	1-1/2"	C	56	54	31	70
80252516	1-9/16"	C	56	54	31	70
80252616	1-5/8"	C	60	54	31	70
80252716	1-11/16"	C	60	54	31	70
80252816	1-3/4"	C	64	54	31	70
80252916	1-13/16"	C	69	54	31	70
80253016	1-7/8"	C	69	54	31	70
80253116	1-15/16"	C	73	54	32	70
80253216	2"	C	73	54	32	70

YUMING INTERNATIONAL LTD.



IMPACT SOCKETS 1"

METRIC DEEP IMPACT SOCKETS - 6 POINT



- E** Nominal size across flats
- D1** Max. outside dia. socket end
- D2** Max. outside dia. sq. drive end
- L** Nominal overall length
- L2** Min. depth of socket form



ITEM NO.	E MM	SHAPE	D1 MM	D2 MM	L2 MM	L MM	ITEM NO.	E MM	SHAPE	D1 MM	D2 MM	L2 MM	L MM
802517L	17	A	38	49	53	88	802543L	43	C	62.5	54	53	88
802518L	18	A	38	49	53	88	802544L	44	C	64	54	53	88
802519L	19	A	38	49	53	88	802545L	45	C	65	54	53	88
802520L	20	A	38	49	53	88	802546L	46	C	66	54	53	88
802521L	21	A	38	49	53	88	802547L	47	C	67	54	53	88
802522L	22	A	38	49	53	88	802548L	48	C	69.5	54	53	88
802523L	23	A	38	49	53	88	802550L	50	C	71	56	53	88
802524L	24	A	40	49	53	88	802552L	52	C	73.5	60	53	88
802525L	25	A	40	49	53	88	802553L	53	C	75.5	60	53	88
802526L	26	A	42	49	53	88	802555L	55	C	77.5	60	53	88
802527L	27	A	44	49	53	88	802556L	56	C	78	60	53	88
802528L	28	A	44	49	53	88	802557L	57	C	78	60	53	88
802529L	29	B	45	49	53	88	802558L	58	C	79	62	53	88
802530L	30	B	49	49	53	88	802560L	60	C	83	66	53	88
802531L	31	B	49	49	53	88	802562L	62	C	86	66	53	88
802532L	32	C	52	49	53	88	802563L	63	C	87	66	53	88
802533L	33	C	52	50	53	88	802565L	65	C	93	66	53	88
802534L	34	C	53	50	53	88	802568L	68	C	93.5	68	53	88
802535L	35	C	54	50	53	88	802570L	70	C	95	70.5	53	88
802536L	36	C	55	50	53	88	802572L	72	C	98.5	70.5	53	88
802537L	37	C	55	50	53	88	802575L	75	C	104	72	53	88
802538L	38	C	58	50	53	88	802580L	80	C	109	78	53	88
802539L	39	C	58	50	53	88	802585L	85	C	118	78	53	88
802540L	40	C	60	50	53	88	802590L	90	C	123	86	53	88
802541L	41	C	60	50	53	88	802595L	95	C	128	90	53	88
802542L	42	C	61.5	54	53	88	8025100L	100	C	136	90	53	88

YUMING INTERNATIONAL LTD.


Add: 4/F., Noble Center No.1006 3rd. Fuzhong Rd. Futian District, Shenzhen China 518026

Tel: 0086-0755-88262922 Fax: 0086-0755-88262933

E-mail: yumingtools@yumingtools.com http://www.yumingtools.com

IMPACT SOCKETS 1"

SAE DEEP IMPACT SOCKETS-6 POINT



- E** Nominal size across flats
- D1** Max. outside dia. socket end
- D2** Max. outside dia. sq. drive end
- L** Nominal overall length
- L2** Min. depth of socket form



ITEM NO.	E INCH	SHAPE	D1 MM	D2 MM	L2 MM	L MM
80251216L	3/4"	A	38	49	53	88
80251316L	13/16"	A	38	49	53	88
80251416L	7/8"	A	38	49	53	88
80251516L	15/16"	A	38	49	53	88
80251616L	1"	A	40	49	53	88
80251716L	1-1/16"	A	42	49	53	88
80251816L	1-1/8"	A	44	49	53	88
80251916L	1-3/16"	B	49	49	53	88
80252016L	1-1/4"	C	52	49	53	88
80252116L	1-5/16"	C	52	50	53	88
80252216L	1-3/8"	C	54	50	53	88
80252316L	1-7/16"	C	55	50	53	88
80252416L	1-1/2"	C	58	50	53	88
80252516L	1-9/16"	C	58	50	53	88
80252616L	1-5/8"	C	60	50	53	88
80252716L	1-11/16"	C	62.5	54	53	88
80252816L	1-3/4"	C	64	54	53	88
80252916L	1-13/16"	C	66	54	53	88
80253016L	1-7/8"	C	69.5	54	53	88
80253116L	1-15/16"	C	71	56	53	88
80253216L	2"	C	73.5	60	53	88
80253316L	2-1/16"	C	75.5	60	53	88
80253416L	2-1/8"	C	77.5	60	53	88
80253516L	2-3/16"	C	78	60	53	88
80253616L	2-1/4"	C	78	60	53	88
80253716L	2-5/16"	C	79	62	53	88
80253816L	2-3/8"	C	83	66	53	88
80254016L	2-1/2"	C	87	66	53	88
80254216L	2-5/8"	C	93.5	68	53	88
80254416L	2-3/4"	C	95	70.5	53	88
80254816L	3"	C	104	72	53	88

YUMING INTERNATIONAL LTD.

Add: 4/F., Noble Center No.1006 3rd. Fuzhong Rd. Futian District, Shenzhen China 518026


Tel: 0086-0755-88262922 Fax: 0086-0755-88262933

E-mail: yumingtools@yumingtools.com http://www.yumingtools.com



JUMBO IMPACT SOCKETS 1 1/4"

METRIC JUMBO IMPACT SOCKETS - 6 POINT




- E** Nominal size across flats
- D1** Max. outside dia. socket end
- D2** Max. outside dia. sq. drive end
- L** Nominal overall length
- L2** Min. depth of socket form




ITEM Number	E MM	SHAPE	D1 MM	D2 MM	L2 MM	L MM
803224	24	A	46	58	35	80
803227	27	A	46	58	35	80
803230	30	A	48	58	35	80
803232	32	A	50	58	35	80
803233	33	A	50	58	35	80
803234	34	A	51	58	35	80
803235	35	A	52	58	35	80
803236	36	A	53	58	35	80
803238	38	B	58	58	35	80
803241	41	C	62	58	35	80

YUMING INTERNATIONAL LTD.



JUMBO IMPACT SOCKETS 1 1/2"

METRIC JUMBO IMPACT SOCKETS - 6 POINT



- E** Nominal size across flats
- D1** Max. outside dia. socket end
- D2** Max. outside dia. sq. drive end
- L** Nominal overall length
- L2** Min. depth of socket form



A

B

ITEM Number	E MM	SHAPE	D1 MM	D2 MM	L2 MM	L MM
803821	21	A	40	68	40	80
803822	22	A	41	68	40	80
803824	24	A	43	68	40	80
803827	27	A	46	68	40	80
803830	30	A	51	68	40	80
803832	32	A	53	68	40	80
803833	33	A	54	68	40	80
803834	34	A	55	68	40	80
803835	35	A	57	68	40	80
803836	36	A	58	68	40	80
803838	38	A	60	68	40	80
803841	41	A	62	68	40	80
803846	46	B	68	68	40	80

YUMING INTERNATIONAL LTD.